


siiora

Preserving Nature's Most Wonderful Creation



DHS/DCS IMPLANTS & INSTRUMENTS



DHS/DCS Implants

DHS Barrel Plate - S.S. & Titanium



| | With DCP Holes | | | | | Short Barrel Holes | | | With Round Holes | | | |
|-------|----------------|---------|------------|---------|---------|--------------------|---------|-----------------|------------------|---------|---------|--------|
| | 130° | 135° | 140° | 145° | 150° | DCP135° | 130° | ROUND 135° | 130° | 135° | 140° | |
| Holes | S.S. | Ti. | Cat No. | | | | | | | | | Length |
| 2 | - | 166.022 | Ti.166.022 | - | - | 166.062 | - | - | - | - | - | 46mm |
| 3 | - | 166.023 | Ti.166.023 | - | - | - | - | 166.753 166.853 | - | 166.603 | - | 56mm |
| 4 | 166.004 | 166.024 | Ti.166.024 | 166.044 | 166.054 | 166.064 | 166.084 | 166.754 166.854 | 166.504 | 166.604 | 166.704 | 78mm |
| 5 | 166.005 | 166.025 | Ti.166.025 | 166.045 | 166.055 | 166.065 | 166.085 | 166.755 166.855 | 166.505 | 166.605 | 166.705 | 94mm |
| 6 | 166.006 | 166.026 | Ti.166.026 | 166.046 | 166.056 | 166.066 | 166.086 | 166.756 166.856 | 166.506 | 166.606 | 166.706 | 110mm |
| 7 | - | 166.027 | Ti.166.027 | - | - | - | - | 166.857 | 166.507 | 166.607 | 166.707 | 126mm |
| 8 | 166.008 | 166.028 | Ti.166.028 | 166.048 | 166.058 | 166.068 | 166.088 | 166.858 | 166.508 | 166.608 | 166.708 | 142mm |
| 9 | - | 166.029 | Ti.166.029 | - | - | - | - | 166.859 | 166.509 | 166.609 | 166.709 | 158mm |
| 10 | 166.010 | 166.030 | Ti.166.030 | - | - | 166.070 | 166.090 | 166.860 | 166.510 | 166.610 | 166.710 | 174mm |
| 12 | - | 166.032 | Ti.166.032 | - | - | 166.072 | - | 166.862 | 166.512 | 166.612 | 166.712 | 206mm |
| 14 | - | 166.034 | Ti.166.034 | - | - | - | - | - | - | - | - | 238mm |
| 16 | - | 166.036 | Ti.166.036 | - | - | - | - | - | - | - | - | 270mm |
| 18 | - | 166.038 | Ti.166.038 | - | - | - | - | - | - | - | - | 302mm |
| 20 | - | 166.040 | Ti.166.040 | - | - | - | - | - | - | - | - | 334mm |
| 22 | - | 166.042 | Ti.166.042 | - | - | - | - | - | - | - | - | 366mm |

DHS/DCS Implants

DCS Plate DCP Hole 95° - S.S.

| Cat No. | Holes | Length (mm) |
|-----------------|-------|-------------|
| Stainless Steel | | |
| 167.006 | 6 | 100 |
| 167.007 | 7 | 115 |
| 167.008 | 8 | 130 |
| 167.009 | 9 | 146 |
| 167.010 | 10 | 163 |
| 167.012 | 12 | 198 |
| 167.014 | 14 | 225 |
| 167.016 | 16 | 260 |
| 167.018 | 18 | 306 |
| 167.020 | 20 | 338 |
| 167.022 | 22 | 370 |



DHS/DCS Compression Screw
S.S.

| Cat. No. | Length(mm) |
|----------|------------|
| 168.990 | 36 |



DHS/DCS Compression Screw
Titanium


| Cat. No. | Length(mm) |
|------------|------------|
| Ti.168.990 | 36 |



DHS/DCS Implants

DHS/DCS Screw with Compression screw
S.S. & Titanium

| Cat No. | Length (mm) | Cat No. |
|-----------------|-------------|------------|
| Stainless Steel | | Titanium |
| 168.050 | 50 | Ti.168.050 |
| 168.055 | 55 | Ti.168.055 |
| 168.060 | 60 | Ti.168.060 |
| 168.065 | 65 | Ti.168.065 |
| 168.070 | 70 | Ti.168.070 |
| 168.075 | 75 | Ti.168.075 |
| 168.080 | 80 | Ti.168.080 |
| 168.085 | 85 | Ti.168.085 |
| 168.090 | 90 | Ti.168.090 |
| 168.095 | 95 | Ti.168.095 |
| 168.100 | 100 | Ti.168.100 |
| 168.105 | 105 | Ti.168.105 |
| 168.110 | 110 | Ti.168.110 |
| 168.115 | 115 | Ti.168.115 |
| 168.120 | 120 | Ti.168.120 |
| 168.125 | 125 | Ti.168.125 |
| 168.130 | 130 | Ti.168.130 |
| 168.135 | 135 | Ti.168.135 |
| 168.140 | 140 | Ti.168.140 |
| 168.145 | 145 | Ti.168.145 |



DHS Plate 135° with Collar - S.S.

| Cat. No. | Holes |
|----------|-------|
| 166.124 | 4 |
| 166.125 | 5 |
| 166.126 | 6 |

(Collar Hole is to be use with 7.0mm
Cannulated cancellous screw)



DHS/DCS Instruments

701.021 Threaded Guide Wire 2.5mm



701.022 DHS Angle Guide - 135°



701.023 T - Handle with Quick Coupling



701.024 Direct Measuring Device - S.S.



701.025 DHS Triple Reamer



701.026 Wrench for DHS Screws



701.027 DHS Impactor




701.028 DHS Tap




DHS/DCS Instruments

701.029 Centering Sleeve for DHS Tap



701.030 Centering Sleeve for DHS Wrench



701.031 Coupling Screw for Inserting DHS Screw



701.032 Guide Shaft for Coupling Screw



701.033 Long Coupling Screw for DHS Screw
Removal



701.034 Stylet 2.5mm



701.040 DCS Triple Reamer



701.041 DCS Angle Guide - 95°



Optional - DHS/DCS Instruments

701.042 DHS Triple Reamer - Short Reamer



701.043 DHS Angle Guide - 130°



701.044 DHS Angle Guide - 140°



701.045 DHS Angle Guide - 150°



701.050 Variable Angle Guide - Angle - 130°, 135°, 140°, 145°, 150°



701.051 DHS / DCS Wrench for One Step Insertion



701.052 Cannulated Connecting Screw for DHS/DCS



701.055 Guide Wire Sleeve for 2.0mm Wire



Optional - DHS/DCS Instruments


701.056 Drill Sleeve for 4.5mm Cannulated Drill Bit



701.057 Holding for 4.5mm Drill Sleeve




400.040 DHS/DCS Implant Box with Three Trays for
DHS / DCS Screws & Plates



DHS/DCS Instruments

IS.050 DHS/DCS Instrument Set in Graphics Box



| Cat No. IS.050 | Description | Units |
|-------------------|--|-------|
| 701.021 | Threaded Guide Wire 2.5mm | 6 |
| 701.022 | DHS Angle Guide - 135° | 1 |
| 701.023 | T - Handle with Quick Coupling | 1 |
| 701.024 | Direct Measuring Device - S.S. | 1 |
| 701.025 | DHS Tripple Reamer | 1 |
| 701.026 | Wrench for DHS Screws | 1 |
| 701.027 | DHS Impactor | 1 |
| 701.028 | DHS Tap | 1 |
| 701.029 | Centering Sleeve for DHS Tap | 1 |
| 701.030 | Centering Sleeve for DHS Wrench | 1 |
| 701.031 | Coupling Screw for Inserting DHS Screw | 1 |
| 701.032 | Guide Shaft for Coupling Screw | 1 |
| 701.033 | Long Coupling Screw for DHS Screw | 1 |
| 701.034 | Stylet 2.5mm | 1 |
| 701.040 | DCS Tripple Reamer | 1 |
| 701.041 | DCS Angle Guide - 95° | 1 |
| 400.041 | Graphic Aluminium Instrument Box with Two Tray for DHS / DCS Instruments | 1 |

Optional - DHS/DCS Instruments

- 400.041 Graphic Aluminium Instrument Box with
Two Trays for DHS/DCS Instruments



- 400.101 Graphic Aluminium DHS Implant Box with
Three Trays



DHS/DCS Implant Set



| Cat No. IS.017 | DHS- DCS Implant Set | Units |
|-------------------|--|-------|
| 166.024 | DHS Barrel Plate DCP Holes - 135 Deg. 4 Holes | 2 |
| 166.025 | DHS Barrel Plate DCP Holes - 135 Deg. 5 Holes | 2 |
| 166.026 | DHS Barrel Plate DCP Holes - 135 Deg. 6 Holes | 2 |
| 166.028 | DHS Barrel Plate DCP Holes - 135 Deg. 8 Holes | 1 |
| 166.030 | DHS Barrel Plate DCP Holes - 135 Deg. 10 Holes | 1 |
| 167.006 | DCS Plate DCP Holes - 95 Deg. 6 Holes | 1 |
| 167.008 | DCS Plate DCP Holes - 95 Deg. 8 Holes | 2 |
| 167.010 | DCS Plate DCP Holes - 95 Deg. 10 Holes | 2 |
| 167.012 | DCS Plate DCP Holes - 95 Deg. 12 Holes | 1 |
| 168.050 | DHS/DCS Screw with Compression Screw-S.S. Length 50mm | 1 |
| 168.055 | DHS/DCS Screw with Compression Screw-S.S. Length 55mm | 2 |
| 168.060 | DHS/DCS Screw with Compression Screw-S.S. Length 60mm | 2 |
| 168.065 | DHS/DCS Screw with Compression Screw-S.S. Length 65mm | 2 |
| 168.070 | DHS/DCS Screw with Compression Screw -S.S.Length 70mm | 1 |
| 168.075 | DHS/DCS Screw with Compression Screw-S.S. Length 75mm | 2 |
| 168.080 | DHS/DCS Screw with Compression Screw-S.S. Length 80mm | 2 |
| 168.085 | DHS/DCS Screw with Compression Screw-S.S. Length 85mm | 2 |
| 168.090 | DHS/DCS Screw with Compression Screw-S.S. Length 90mm | 2 |
| 168.095 | DHS/DCS Screw with Compression Screw-S.S. Length 95mm | 1 |
| 168.100 | DHS/DCS Screw with Compression Screw-S.S. Length 100mm | 1 |
| 400.040 | DHS/DCS Implant Box with Three Trays for DHS/DCS Screws & Plates | 1 |

DHS/DCS Implant Set

IS.121 Graphic DHS Implant Set



| Cat No. IS.121 | Graphic DHS Implant Set | Units |
|-------------------|---|-------|
| 166.093 | DHS Barrel Plate DCP Holes - 130° - Short Barrel, Length 25mm - 3 Holes | 1 |
| 166.094 | DHS Barrel Plate DCP Holes - 130° - Short Barrel, Length 25mm - 4 Holes | 1 |
| 166.095 | DHS Barrel Plate DCP Holes - 130° - Short Barrel, Length 25mm - 5 Holes | 1 |
| 166.096 | DHS Barrel Plate DCP Holes - 130° - Short Barrel, Length 25mm - 6 Holes | 1 |
| 166.083 | DHS Barrel Plate DCP Holes - 135° - Short Barrel, Length 25mm - 3 Holes | 1 |
| 166.084 | DHS Barrel Plate DCP Holes - 135° - Short Barrel, Length 25mm - 4 Holes | 1 |
| 166.085 | DHS Barrel Plate DCP Holes - 135° - Short Barrel, Length 25mm - 5 Holes | 1 |
| 166.086 | DHS Barrel Plate DCP Holes - 135° - Short Barrel, Length 25mm - 6 Holes | 1 |
| 166.003 | DHS Barrel Plate DCP Holes - 130 Deg. 3 Holes | 1 |
| 166.004 | DHS Barrel Plate DCP Holes - 130 Deg. 4 Holes | 1 |
| 166.005 | DHS Barrel Plate DCP Holes - 130 Deg -5 Holes | 1 |
| 166.006 | DHS Barrel Plate DCP Holes - 130 Deg. 6 Holes | 1 |

DHS/DCS Implant Set

| Cat No. IS.121 | | Units |
|-------------------|--|-------|
| 166.023 | DHS Barrel Plate DCP Holes - 135 Deg. 3 Holes | 1 |
| 166.024 | DHS Barrel Plate DCP Holes - 135 Deg. 4 Holes | 1 |
| 166.025 | DHS Barrel Plate DCP Holes - 135 Deg. 5 Holes | 1 |
| 166.026 | DHS Barrel Plate DCP Holes - 135 Deg. 6 Holes | 1 |
| 168.050 | DHS/DCS Screw with Compression Screw-S.S. Length 50mm | 1 |
| 168.055 | DHS/DCS Screw with Compression Screw-S.S. Length 55mm | 1 |
| 168.060 | DHS/DCS Screw with Compression Screw-S.S. Length 60mm | 1 |
| 168.065 | DHS/DCS Screw with Compression Screw-S.S. Length 65mm | 1 |
| 168.070 | DHS/DCS Screw with Compression Screw -S.S.Length 70mm | 1 |
| 168.075 | DHS/DCS Screw with Compression Screw-S.S. Length 75mm | 1 |
| 168.080 | DHS/DCS Screw with Compression Screw-S.S. Length 80mm | 1 |
| 168.085 | DHS/DCS Screw with Compression Screw- S.S. Length 85mm | 1 |
| 168.090 | DHS/DCS Screw with Compression Screw-S.S. Length 90mm | 1 |
| 168.095 | DHS/DCS Screw with Compression Screw-S.S. Length 95mm | 1 |
| 168.100 | DHS/DCS Screw with Compression Screw-S.S. Length 100mm | 1 |
| 168.105 | DHS/DCS Screw with Compression Screw-S.S. Length 105mm | 1 |
| 168.110 | DHS/DCS Screw with Compression Screw-S.S. Length 110mm | 1 |
| 168.115 | DHS/DCS Screw with Compression Screw-S.S. Length 115mm | 1 |
| 168.120 | DHS/DCS Screw with Compression Screw-S.S. Length 120mm | 1 |
| 106.212 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 12mm | 3 |
| 106.214 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 14mm | 3 |
| 106.216 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 16mm | 3 |
| 106.218 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 18mm | 3 |
| 106.220 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 20mm | 3 |
| 106.222 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 22mm | 3 |
| 106.224 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 24mm | 3 |
| 106.226 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 26mm | 3 |
| 106.228 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 28mm | 3 |
| 106.230 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 30mm | 3 |
| 106.232 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 32mm | 3 |
| 106.234 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 34mm | 3 |
| 106.236 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 36mm | 3 |
| 106.238 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 38mm | 3 |
| 106.240 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 40mm | 3 |
| 106.242 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 42mm | 3 |
| 106.244 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 44mm | 3 |
| 106.246 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 46mm | 3 |
| 106.248 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 48mm | 3 |
| 106.250 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 50mm | 3 |
| 106.252 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 52mm | 3 |
| 106.254 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 54mm | 3 |
| 106.256 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 56mm | 3 |
| 106.258 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 58mm | 3 |
| 106.260 | Cortical Screw 4.5mm Dia. - Self Tapping - Length 60mm | 3 |
| 400.101 | Graphic Aluminium DHS implant box with Three Trays | 1 |

DHS/DCS Instruments

IS.120 DHS/DCS Implants System In Plastic Graphic Box



DHS/DCS Implants Set

IS.120 DHS/DCS Implants System In Plastic Graphic Box

| Cat No. IS.120 | Graphic DHS/DCS Implant Set | Units |
|-------------------|--|-------|
| 166.024 | DHS Barrel Plate DCP Holes - 135 Deg. 4 Holes | 1 |
| 166.025 | DHS Barrel Plate DCP Holes - 135 Deg. 5 Holes | 1 |
| 166.026 | DHS Barrel Plate DCP Holes 135 Deg. 6 Holes | 1 |
| 166.027 | DHS Barrel Plate DCP Holes 135 Deg. 7 Holes | 1 |
| 166.028 | DHS Barrel Plate DCP Holes - 135 Deg. 8 Holes | 1 |
| 166.029 | DHS Barrel Plate DCP Holes - 135 Deg. 9 Holes | 1 |
| 166.030 | DHS Barrel Plate DCP Holes - 135 Deg. 10 Holes | 1 |
| 166.032 | DHS Barrel Plate DCP Holes - 135 Deg. 12 Holes | 1 |
| 166.034 | DHS Barrel Plate DCP Holes - 135 Deg. 14 Holes | 1 |
| 166.124 | DHS Plate - 135 Deg. with Collar 4 Holes | 1 |
| 166.125 | DHS Plate - 135 Deg. with Collar 5 Holes | 1 |
| 166.126 | DHS Plate - 135 Deg. with Collar 6 Holes | 1 |
| 168.050 | DHS/DCS Screw with Compression Screw-S.S. Length 50mm | 1 |
| 168.055 | DHS/DCS Screw with Compression Screw-S.S. Length 55mm | 1 |
| 168.060 | DHS/DCS Screw with Compression Screw-S.S. Length 60mm | 1 |
| 168.070 | DHS/DCS Screw with Compression Screw -S.S.Length 70mm | 1 |
| 168.075 | DHS/DCS Screw with Compression Screw-S.S. Length 75mm | 1 |
| 168.080 | DHS/DCS Screw with Compression Screw-S.S. Length 80mm | 1 |
| 168.085 | DHS/DCS Screw with Compression Screw-S.S. Length 85mm | 1 |
| 168.090 | DHS/DCS Screw with Compression Screw-S.S. Length 90mm | 1 |
| 168.095 | DHS/DCS Screw with Compression Screw-S.S. Length 95mm | 1 |
| 168.100 | DHS/DCS Screw with Compression Screw-S.S. Length 100mm | 1 |
| 168.105 | DHS/DCS Screw with Compression Screw-S.S. Length 105mm | 1 |
| 168.110 | DHS/DCS Screw with Compression Screw-S.S. Length 110mm | 1 |
| 168.115 | DHS/DCS Screw with Compression Screw-S.S. Length 115mm | 1 |
| 168.120 | DHS/DCS Screw with Compression Screw-S.S. Length 120mm | 1 |
| 168.125 | DHS/DCS Screw with Compression Screw-S.S. Length 125mm | 1 |
| 168.130 | DHS/DCS Screw with Compression Screw-S.S. Length 130mm | 1 |
| 168.135 | DHS/DCS Screw with Compression Screw-S.S. Length 135mm | 1 |
| 168.140 | DHS/DCS Screw with Compression Screw-S.S. Length 140mm | 1 |
| 168.145 | DHS/DCS Screw with Compression Screw-S.S. Length 145mm | 1 |
| 168.065 | DHS/DCS Screw with Compression Screw-S.S. Length 65mm | 1 |
| 400.098 | Graphic Plastic Box For DHS/DCS Implant System | 1 |



Siora Surgicals Private Limited
Manufacturer of:
Trauma & Spine Implants



Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura
Delhi - 110035, INDIA



Office Land line:

+91 11 28316116 , 17, 18



Manufacturing Unit:

1792, HSIIDC Indl. Estate
RAI District, Sonapat
Haryana- 131029, INDIA



www.siora.com



impex@siora.net



exports@siora.net

UPDATED AS ON 31.10.2019